

Index

A

- abacus, 31
- abc conjecture, 251-259
- adjacency matrix, 116
- Ahmes, 27
- Alexander III, 48, 55
- algebra, (math. structure) 148
- algebraic, C8
- Almagest, 69
- alphabet, 77
- Anaximander, 11
- angle, 145
 - acute, 145
 - alternate, 145
 - azimuth, 158
 - complimentary, 145
 - polar, 158
 - right, 145
 - straight, 145
 - supplementary, 145
 - vertical, 145
- antiderivative, 179
- Apastamba, 27
- apex, 146
- Apollonius, 59, 67
- arc, 145
 - rectifiable, 188
- arc-length, 188
- Archimedes, 48, 61-67
 - cattle problem, 65
 - palimpsest, 62
 - property, 49
- Aristarchus, 67
- Aristotle, 53-54
- arithmetic
 - modular, 235-236
 - arity, 88
 - area, 47-48

- Ars Conjectandi, C16
- Artin's conjecture, 264
- associative, 29, 80
- associative memory, 121
- astronomy, 18,25
- asymptotic, 169
- Augustine, 11
- axiom, 49, 76
- axiom schemata, 78

B

- Babbage, C16
- Bakshali manuscript, 30-31
- ball, 165
- base, 151
- basin of attraction, 196
- Baudhayana, 27
- Bernoulli, C16
- binomial coefficients, 103
- Bolzano, 164
- Book of Changes, 34
- Boolean algebra, 79-
- bound, 170
- boundary, 165
- bounded variation, 192
- Bourbaki, 98
- box, 146
- Brahmi numerals, 30
- Bring radical, 199
- Buddhism, 28

C

- calendar
 - Egyptian, 25
 - Hebrew, 34
 - Julian day numbering, 37
 - Mayan, 37

- calculus, 71, 164
 - differential, 173-178
 - integral, 173, 179
- Cantor, 83
 - Cantor, 101
 - Cantor function, 191
 - cardinality, 83, 100
 - catenary, 223
 - Cauchy, 164
 - Cauchy sequence, 95
 - Cauchy-Schwarz inequality, 192
 - Cavalieri, 173
 - Cavalieri's principle, 61
 - centroid, 147
 - chain curve, 223
 - chained arrow notation, 91
 - characteristic equation, 109
 - characteristic function, 186
 - chord, 145
 - chromatic number, 133
 - circle, 146
 - circle area, 63
 - circumcenter, 147
 - closure, 165
 - coloring, 134
 - combinatorics, 102-
 - commensurable ratios, 45, 58
 - commutative, 29, 80
 - complex numbers, 138-139
 - exponential form, 139
 - polar form, 138
 - cone, 146
 - congruence, 146, 235
 - conic section, 57, 67, 163
 - Conway, 91
 - Confucius, 34
 - continued fraction, 60, C1-
 - generalized, C1
 - infinite, C4
 - periodic, C5
 - simple, C1
 - continuity, 168
 - absolute, 191
 - uniform, 171
 - continuum hypothesis, 101
 - convergent, C2
 - convergence
 - pointwise, C26
 - uniform, C26
 - convolution, 111
 - binomial, C16
 - coordinate system, 150-151
 - Cartesian, 150, 158
 - curvilinear, 159
 - cylindrical, 158
 - elliptic, 159
 - homogeneous, 160
 - hyperspherical, 159
 - orthogonal, 159
 - planar, 159
 - polar, 158
 - skewed, 158-159
 - spherical, 158
 - trilinear, 161
 - Copernicus, 69
 - coprime, 60
 - counting board, 33
 - countable, 95, 101
 - cube, 52, 127, 146
 - cuboid, 146
 - cumulative distribution function, 190
 - cusp, 177
 - cycle, 114
 - cylinder, 146

D

- d'Alembert, 164
- Darboux integral, 185
- decimal system, 18
- Dedekind, 96
- Dedekind cut, 96
- Descartes, 173
- degree sequence, 115
- de Moivre's formula, 134, 204

- De Morgan's laws, 79
 denominator, 21
 derivatification, 173-174
 partial derivative, 178
 Descartes, 68, 150, 173
 devil's staircase, 191
 diagonal argument, 101
 diameter, 145
 discontinuity, 168
 difference equation, 107, 228
 differential, 178
 differential equation, 217-229
 autonomous, 218
 elliptic, 218
 homogeneous, 218
 hyperbolic, 218
 linear, 218
 nonhomogeneous, 218
 ordinary, 217
 parabolic, 218
 partial, 217-219
 digit, 99
 dimension, 151
 Diophantus, 71-72
 discrete mathematics, 101-
 discriminant, 135, 163
 distributive, 80
 dodecahedron, 52, 127
 domain, 217
 dot product, 148
- E**
- edge, 114
 Eleatic school, 46
 ellipse, 67
 ellipsoid, 164
 elliptic, 57
 Empedocles, 41
 endianness, 99
- equation, 136-137
 algebraic, 143
 cubic, quartic, 141
 quadratic, 136-137, 140
 equivalence class, 94
 equivalence relation, 94
 Eratosthenes, 67
 Erdős, 24
 Euclid, 56-59
 Euclidean algorithm, 60, 142-143
 Euclidean division, 142
 Euclidean space, 152
 Euclid's Elements, 34, 56
 Eudoxus, 48, 63
 Euler, 128-132, 204
 Euler's totient function, 236
 Euler method, 228
 extreme value theorem, 172
- F**
- face, 125
 factorial, 102-103
 factor theorem, 143
 Faltings, 252-253
 Faulhaber, C14, C16
 Faulhaber's formula, C18
 Fermat, 173
 Fermat prime, 202
 Fermat's Last Theorem, 72
 Fermat's Little Theorem, 235
 Fibonacci, 19
 Fibonacci numbers, 31, 111, 113, 228
 Field, 97
 algebraically closed, 144
 Fields prize, 66
 first-order logic, 86
 atomic formulas, 87
 non-atomic formulas, 87
 sentence, 88
 well-formed formula, 87
 formal language, 77-78, 87
 formal proof, 78
 four color theorem, 135
 fraction, 21, 30
 Egyptian, 21

- function, 98
 bijective, 98
 codomain, 98
 composition, 98
 continuous, 168
 domain, 98
 elementary, 222
 extension, 98
 fiber, 98
 hyperbolic, 205-206
 image, 98
 inverse, 98
 injective, 98
 Liouvillian, 222
 preimage, 98
 restriction, 98
 singular, 191
 surjective, 98
 transcendental, 199
- functions (specific)
 Carmichael function, 241
 error function, 222
 Euler's totient function, 236
 exponential, 195
 logarithmic, 193, 195
 polynomial, 135
 power function, 196-199
 rational, 199
 trigonometric, 197-
- functional, 192
 fundmtl. recurrence relations, C2
 fundmtl. thm. of algebra, 144
 fundmtl. thm. of calculus, 179,186
- G**
 Gauss, 235
 Gaussian elimination, 163
 generating function, 111-113, C1-
 exponential, C14
 genus, 127
 Geogebra, 5
 geometer, 73
 geometric center, 192
- geometry, 47, 49, 145-
 absolute, 150
 affine, 150
 analytic, 145, 162
 Euclidean, 56-59, 150
 hyperbolic, 205
 non-Euclidean, 150
 practical, 145
 projective, 150, 160
 spherical, 204
 synthetic, 145
- geometrical algebra, 58
 geometrical construction, 47, 58
- Gini coefficient, 189
 Gelfand, 194
 golden ratio, 60, C5
 grammar, 77
 graph theory, 114-134
 graph, 114
 complete, 114, 125
 complete bipartite, 125
 dual, 129
 planar, 114, 125-126
 weighted, 117
- greatest common divisor, 59, 137
 greedy algorithm, 22
 Grothendieck, 254
- H**
 Hale, 2
 Hamilton cycle, 116
 handedness, 153
 Hardy, 164
 Hasse diagrams, 81
 Hebb rule 122
 Hermes, 202
 heliocentric model, 67
 Hellenism, 48
 Heraclitus, 46
 Hermes, 204
 Hesiod, 40
 hexagon, 146

Hexagrammum mysticum thm., 161
hieroglyph, 21
higher-order logic, 86
Hilbert curve, 169
Hindu-Arabic number system, 30
Hipparchus, 68, 200
Hippocrates, 48, 55
History
 Chinese, 32
 Egyptian, 20
 Greek, 40
 Indian, 26
 Mayan, 36
 Mesopotamian, 18
Homer, 39
homogeneous equation, 108
Hopfield network, 121
Hui, 35
Hypatia, 73
hyperbola, 67
hyperbolic, 57
hyperboloid, 164
hyperoperation, 29

I

icosahedron, 52, 127
incenter, 147
incidence matrix, 115
indicator function, 186
inference rule, 78, 87
infimum, 96, 170
infix notation, 88
inner product, 149
inner product space, 149
integrating factor, 223
integration, 173, 179
Inter-Universal Teichmüller Theory, 256-259
interior, 165
intermediate value theorem, 171
interval, 165

compact, 171
Ionian school, 42
Imhotep, 19
Indus Valley Civilization, 26
infinity, 28, 46
Ishango bone, 13
isomorphism, 115

J

Jacobi, C14
Jainism, 28
join, 81-82

K

Kepler Conjecture, 2, 52
Klein bottle, 153-154
Knuth, 29, C11
Koch curve, 188
Koch snowflake, 188
Kuratowski's theorem, 125

L

Lagadha, 27
Lagrange, 52
Lagrange interpolation, 144
Landau, 199
lattice (order), 81
lattice (symmetry), 155
 E₈, 155
 Leech, 155
Leibnitz, 68, 173, 180-184
Levi-Civita symbol, 157
library of Alexandria, 72
limit, 46, 164
Lindemann, 194
linear
 operator, 108
 system, 30

Liouville, C10
Liouville's theorem, C8
Liouville-Roth function C10
Lipschitz continuity, C25
logarithm, 195
 natural, 193
logic, 54, 76-
logic gates, 79
logical operator, 76
logistic map, 107, 110
long count date, 37
long division, 3
Lotka-Volterra equation, 229
Lovelace, C16
Löwenheim-Skolem theorem, 86

M

magnitude, 49
manifold, 153
 orientable, 153
Mathematica, 5
Mathematics, 11
 applied, 8
 Babylonian, 15-19
 Chinese, 31-35
 classification, 7-10
 Egyptian, 18-25
 etymology, 11
 Greek, 38-
 Hellenistic, 48,
 Indian, 26-31
 Mayan, 36-38
 symbols, 83-84
 pure, 7
 Sumerian, 14-15,18
mean, 47
 arithmetical, 47
 geometrical, 47
 harmonic, 47

Pythagorean, 47
root mean square, 47
square, 47
mean value theorem, 177
meet, 81-82
method of exhaustion, 47
metric space, 95
Midy's theorem, 264
Minoan civilization, 38
Mochizuki, 253-259
model theory, 77
modus ponens, 78
modus tollens, 79
Mordell's conjecture, 252
MSC, 9
multinomial coefficients, 103
multiplication, 29
Möbius, 154
Möbius strip, 153
Mycenaean civilization, 38-39

N

n-ball, 52
n-cell, 52, 128
n-gon, 146
n-sphere, 52, 155
n-polytope, 52
Napier, 195
Natural philosophy, 41
neighborhood, 165
Neoplatonism, 57, 74
neural network, 119
 artificial (ANN), 119-123
 feedforward, 119
 SOFM, 123
Newton, 173
Newton's method, 196
Nine Chapters..., 34
non-Euclidean geometry, 57
non-linearity, 110
non-standard analysis, 178

number (specific)
Artin's constant, 264
Bernoulli B_n , 92, C16-17
Euler's number e , 23, 194, 196
Fermat number F_n , 204
Fermat prime, 204
Fibonacci, , 31, 111, 113
golden ratio, 60, C5
googol, 28
googolplex, 28
Graham's, 91
harmonic number H_n , C14
myriad, 28
 π , 23,25,35,49, 63, 65
recurring, 231
regular, 230
repeating, 231
 τ , 19, 63
terminating, 230
zero, 36
numerator, 21
number (type), 84
 complex, 7, 138
 composite, 44
 cyclic, 263
 harmonic, 23
 infinite, 28
 integer, 8
 irrational, 45, 48
 large, 28
 Liouville, C10
 natural, 7
 nonregular, 4
 oblong, 44
 prime, 44
 quadratic irrational, C5-6
 rational, 7, 94
 real, 7, 96-97
 regular, 4
 square, 44
 transcendental, C9-10, 194
 triangular, 43

O
octagon
octahedron, 127
Odysseus, 39
oracle bone, 33
order, 94–95
 partial, 94
 total, 94
orientation, 152
orthocenter, 147

P
Panini, 26, 54
Pappus, 73
parabola, 67
parabolic, 57
Parmenides, 46
paraboloid, 164
partition, 185
parallel postulate, 56-57
parallelepiped, 146
parallelogram, 146
parametrization, 188
parentheses, 90
partial order, 81
Pascal's theorem, 161
Pascals triangle, 31,33
path, 114
Peano axioms and arithmetic, 86
Peano existence theorem, 221
pentagon, 146
perceptron, 120
Pericles, 49
period, 230
phase space, 229
Phoenician alphabet, 39
Picard-Lindelöf theorem, 221, C25
Pingala, 31

- Plato, 45, 50-53
 academy, 51, 74
 Platonic solid, 52, 127
 Plotinus, 74
 Pólya, C13
 polygon, 52, 58
 cyclic, 147
 polyhedron, 52, 127
 dual, 134
 polynomial, 140
 characteristic, 224, 228
 degree, 140
 division, 142
 divisor, 142
 ring, 140
 polytope, 133
 Popul Vuh, 37
 positional system, 99
 Power Rule Theorem, 261
 power set, 83
 poset, 81
 predicate logic, 86-88
 Pre-Socratic philosophers, 41
 probability density function, 190
 prime number,
 Wieferich prime, 248
 Full Reptend, 263
 primitive function, 179
 prism, 146
 projection,
 central (perspective), 126, 160
 orthographic, 160
 projective space, 160
 pseudosphere, 205
 proof theory, 77
 propositional logic, 76
 Proclus, 57
 Ptolemaic dynasty, 55
 Ptolemy, 69
 theorem, 70
 pyramid, 146
 Pythagoras, 11, 42-45
 theorem, 17, 33-34, 44
 triples, 17
- Q**
- quadrature, 47
 quadric surface, 164
 quadrilateral, 146
 cyclic, 145
 quantifier, 86
 existential, 86, 88
 universal, 86, 88
 quotient, 24, 60
 quotient set, 94
- R**
- radical, 198-199
 nested, 199
 Bring, 199
 radicand, 198
 radius, 145
 radix, 198
 radix point, 99
 recursion, 107
 recurrence relation, 228
 relation, 94
 relatively prime, 60
 remainder, 24, 60
 rectangle, 146
 reptend, 230
 Rhind Mathematical Papyrus, 21-22
 rhomboid, 146
 rhombus, 146

- Riemann, 185
Riemann zeta function, 92
Riemann integral, 185
Riemann-Stieltjes interal, 189
Riesz' theorem, 192
Ring, 93
 Boolean, 82
 Polynomial, 135
Roberval, 173
Rolle's theorem, 177
root, 136, 143
 cube, 198
 multiplicity, 144, 196
 nth, 198
 principal, 198
 square, 198
Roth, C10
RSA cryptosystem, 237
Runge-Kutta methods, 222
- S**
Sanskrit, 26
scalar product, 148
Schlegel diagram, 126
Schmandt-Besserat, 13
secant, 145
second-order logic, 86
sector, 146
segment, 145
sequence, 107
seked, 25
semantics, 77
- set,
 Cartesian product, 85
 clopen, 82
 closed, 165
 compact, 172
 complete, 170
 dense, 165
 discrete, 165
 open, 165
 operators and relations, 83
set theory, 82
sexagesimal system, 15-19
Shulba Sutras, 27
signature, 88
Six Arts, 34
Socrates, 50
sophist, 49-50
space-filling curve, 169
sphere, 146, 165
sphere packing problem, 2, 52, 155
sphere volume, 64
spiral, 65
square, 146
squeeze theorem, 168
subgraph, 115
square root, 17, 30
squaring the circle, 47
Stevin, 19
Stirling numbers, 104
Stone's representation theorem, 82
supremum, 97, 179
syllogism, 54
syntax, 77
system of linear equations, 163

T

tangent, 145
Tarski, 63
tautology, 78
tesseract, 52, 128
tetrahedron, 52, 127
tetration, 29
Thales, 11, 41-42
Theatetus, 52
Tóth, 52
tree, 114
transfer function, 119
transient, 231
transversal, 145
travelling salesman problem, 117
triangle, 146
 equilateral, 146
 isosceles, 146
 right, 146
triangulation, 47-48
trigonometry, 68-69, 139, 199-206
 spherical, 204
trigonometric laws, 70, 202-206
trapezoid, 146
truth table, 76
travelling salesman problem, 117
triangulation, 47-48
trigonometry, 68-69, 139
trigonometrical identities, 70
truth table, 76

U

V

variable
 bound, 186
 free, 186

vector, 148
 axial (pseudo), 158
 polar (true), 158
vector product, 156
vector space, 149
 normed, 149
vedas, 26-27
Venn diagrams, 81, 85, 86
vertex, 114
 degree, 114
volume, 48
Vedanga Jyotisa, 27

W

Weierstrass, 164, 173
well-formed formula, 77, 87
Weierstrass M-test, C27
Wiles, 72

X

x (variable), 151

Y

Yajurveda, 28
year
 sidereal, 68
 tropical, 68

Z

Zeno, 46
zero, 30
zeroth-order logic, 76
Zhou Shadow Gauge Manual, 34